DRILL HOLE	FROM (m)	TO (m)	INTERVAL	GRADE G/T (AU)
OKD-01	63.0	90.0	27.0	5.2
including	65.0	71.00	6.0	15.8
OKD -01	105.0	109.0	4.0	4.4
OKD-02	7.0	31.8	23.3	0.5
OKD-02	36.0	82.0	43.6	1.4
including	59.0	62.0	3.0	4.6
OKD-03	43.5	67.5	24.0	6.9
including	46.5	58.5	12.0	13.8
OKD-04	85.0	92.0	7.0	1.8
including	87.9	89.8	1.8	6.2
OVD 05	40.5	72.0	21 5	2.0
OKD-05	40.5	72.0	31.5	2.9
including	59.8	68.0	8.2	9.1
OKD-06	24.0	39.0	15.0	1.1
including	33.3	36.0	2.7	5.8
merading	33.3	30.0	2.1	3.6
OKD-07	81.0	101.0	20.0	2.8
including	93.1	94.8	1.7	30.8
merading	75.1	71.0	1.7	20.0
OKD-07	146.0	167.0	21.0	2.1
including	160.3	163.0	2.7	15.8
OKD-08	21.00	27.00	6.0	1.5
including	21.00	22.50	1.5	5.2
OKD-09	49.50	60.00	10.5	1.9
including	51.70	54.00	2.3	7.8
OKD-10	45.0	64.5	19.5	2.0
including	51.0	54.5	3.5	6.7
OKD-11	88.0	91.0	3.0	3.9
including	89.0	90.0	1.0	11.4
meruanig	07.0	70.0	1.0	11.4
OKD-12	85.0	88.0	3.0	3.8
including	86.0	87.0	1.0	11.3
-5		·		
OKD-14	9.0	19.5	10.5	1.5
including	13.5	16.5	3.0	4.2

OKD-15	24.0	37.5	13.5	1.4
Including	24.0	27.0	3.0	5.0
OKD-17	69.0	78.0	9.0	1.38
including	73.0	74.4	1.4	8.0
OKD-17	129.0	142.0	13.0	4.2
including	131.9	136.0	4.1	12.9
OKD-19	20.8	45.0	24.2	1.1
including	39.0	40.5	1.5	11.5